# Secretary of the Navy/Chief of Naval Operations Chairs of Oceanographic Sciences

W.A. Kuperman Marine Physical Laboratory Scripps Institution of oceanography La Jolla, CA 92093-0238

phone: (858) 534-7990 fax:(858) 534-7641 email: wak@mpl.ucsd.edu

Award Number: N00014-03-1-0974 http://www-mpl.ucsd.edu

#### LONG-TERM GOALS

The central efforts are to conduct research in ocean acoustics and signal processing, educate graduate students and participate in the ONR research community.

## **OBJECTIVES**

Conduct long-term basic research in ocean acoustics, with emphasis on involving graduate students, post docs and junior researchers in the research. Concerning graduate students, goals include both exploring research ideas that may lead to thesis research and the thesis research itself. Another important objective is to establish a scale model acoustic facility that can be used for research and training. A further objective is to periodically interact with ONR personnel on issues concerning their research community.

## **APPROACH**

This grant has been supporting a post doc this year. Further, a scale model research facility, previously constructed on this grant, has been utilized and experiments related to shallow water propagation, high resolution focusing of fields in free space and a (shallow water) waveguide. Most recently, a study relating moving foci to Cerenkov radiation has been underway.

## WORK COMPLETED

We have recently pulished the results of a study involving the use of signals that may contain some very low level residual component of its near field. The idea is to then "amplify that component that have minimal near field structure. That component is referred to as the evanescent field. The theory of the processing has been developed, simulations indicate that the process is viable and some initial air acoustics experiment confirm the technique. We have also been working on the theory of supersonic moving foci. We have shown that the field from a supersonic (or equivalently superluminal) point source in uniform motion (i.e. the Cherenkov-Vavilov effect) is equivalent to the diffractionless X-wave field (a wave type previously described by an ad hoc construction). In the context of the CV solution, it is clear that any superluminal properties exhibited by X-waves are purely phase effects. It is demonstrated that that the power required to support an X-wave is equivalent to the power dissipated by a CV source. In Fig. 1, we show that the CV "particle" is the causal part of the X-wave. The

Report Documentation Page				Form Approved OMB No. 0704-0188		
maintaining the data needed, and of including suggestions for reducing	election of information is estimated to completing and reviewing the collect this burden, to Washington Headquuld be aware that notwithstanding an OMB control number.	ion of information. Send commentarters Services, Directorate for Inf	ts regarding this burden estimate formation Operations and Reports	or any other aspect of the property of the pro	nis collection of information, Highway, Suite 1204, Arlington	
REPORT DATE			3. DATES COVERED			
30 SEP 2007		2. REPORT TYPE		00-00-2007	7 to 00-00-2007	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Secretary Of The Navy/chief Of Naval Operations Chairs Of Oceanographic Sciences				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Scripps Institution of oceanography, Marine Physical Laboratory, La  Jolla, CA, 92093				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited				
13. SUPPLEMENTARY NO code 1 only	OTES					
docs and junior research ideas that is to establish a sca	n basic research in o searchers in the rese t may lead to thesis n le model acoustic fa nteract with ONR pe	earch. Concerning research and the th cility that can be u	graduate students lesis research itself sed for research a	, goals includ f. Another im nd training.	e both exploring aportant objective A further objective	
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	CATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE	Same as	3	RESTONSIBLE FERSON	
unclassified	unclassified	unclassified	Report (SAR)			

Form Approved

specific parameters of the geometry are shown in Fig. 2 while the full field simulation with levels are given in Fig., 3.

Our most recent efforts have been applying the above work to the concept of creating a virtual source array. Preliminary simulations indicate that such a construct is feasible. We will be doing a laboratory experiment to confirm these ideas.

As a SecNav chair, I have had meetings with all levels of ONR managements on an assortment of ONR and research community issues.




Fig. 1. Infinite bandwidth X-wave field. The field is taken at time t = 0.

A supersonic/superluminal CV particle generates a field comprising expanding cylindrical waves (colored region) and constitutes the causally consistent portion of a radially-standing X-wave field (both colored and black and white region).




Fig. 2. Conical geometry of X-waves. The radially-standing X-wave, propagating at speed |v| > c, comprises both expanding and collapsing cylindrical waves. The surface of the cone defines a Mach cone of opening angle  $\alpha = \arcsin(c/|v|) = |\pi/2 - \zeta|$ 




Fig. 3. Cross-section of simulated CV field and radially-standing X-wave field. (a) The CV cone generated by an axial monopole source distribution, A(z). (b) The Associated radially-standing X-wave field. Graphic (b) is plotted in dB to provide a wider fidelity range.

## **PUBLICATIONS**

"The Cherenkov-Vavilov formulation of X-waves," S. C. Walker and W. A. Kuperman, submitted to PRL.